



WASHROOM RANGE

BEAUTY IS ONLY SKIN DEEP,
IT'S WHAT'S INSIDE THAT COUNTS

PRODUCTS: WR20 // WR30 // WR30X // WR40X



AIRsteril[®]

T: 01234 871 875

E: sales@airsteril.co.uk

W: www.airsteril.co.uk



ELIMINATE ODOURS AND IMPROVE WASHROOM HYGIENE

GUARANTEED ODOUR ERADICATION & INFECTION CONTROL

- Reduces harmful viruses
- Circulates fresh clean air
- Breaks down unwanted bacteria
- Attacks odours at their source
- Removes unhealthy microbes from the air
- Makes your washroom smell freshly cleaned
- Maintains sanitized surfaces
- Stops mould and fungi growth
- Clears smelly compounds in the air 24/7



› WASHROOM PROBLEMS

In washrooms, odours and infections are created by bacteria, viruses, mould, fungi and volatile organic compounds in the air and on all exposed surfaces. Fragrances or masking agents do nothing towards hygiene and the health risks remain. Cleaning and disinfecting alone are only a partial solution and cannot stop ongoing surface contamination. Poor cleaning practices can make the problem worse, as contaminated mops or cloths distribute bacteria. In eight hours a single bacteria cell can multiply into over eight million, meaning odours prevail and health risks increase.

AIRsteril kills both surface and airborne bacteria and viruses. Its efficacy was certified to do this by the Health Protection Agency

Area Size	10m2	20m2	30m2	40m2
High footfall washroom up to 1,000 visits a day	WR10	WR20	WR30	WRX30/40
Extreme footfall washroom up to 10,000 visits a day	WR10	WR20	WR30	WRX30/40

- Fan operation distributes throughout washroom
- Annual lamp change maintains performance
- Robust vandal resistant Aluminium casing
- Wall or ceiling mountable on four screws
- Quickly wired into fused spur
- No filters to change
- Guaranteed odour control

› ODOUR AND INFECTION CONTROL IN

- › Public Washrooms
- › High Footfall Washrooms
- › Commercial Washrooms



THE MOST ADVANCED WASHROOM TECHNOLOGY IN THE WORLD, USED BY THE BEST PROFESSIONALS IN THE BUSINESS



› SERVICING MADE EASY

Power must be disconnected before attempting any servicing and only undertaken by a competent individual. All AIRsteril partners have fully trained engineers to carry out all servicing work.

The hull always remains permanently in place (wall or ceiling mounted). Servicing can be carried out at ground level by removal of the internal cartridge.

Lamps must be changed on an annual basis to maintain performance.

› HOW OUR WASHROOM SYSTEM WORKS

The AIRsteril washroom units utilise our unique combination of 5 technologies. They eliminate unpleasant washroom odours and control harmful bacteria and viruses both in the air and on all exposed surfaces 24 hours a day, 365 days of the year.

The number on the unit signifies the floor coverage area – a WR20 covers 20m² / WR30 - 30m², the X versions are for use in extreme odour areas and cover an area of 30m² or 40m². The 13w or 14w low energy units provide constant clean, fresh sanitised washroom air. With no filters to change, and minimal maintenance, they provide a green solution that provides the washroom hygiene and environment for all users.



ODOUR ELIMINATION GUARANTEED

*Conditions Apply



TECHNICAL DETAILS

WR Unit Dimensions

448mm (l) x 140mm (w) x 100mm (d) - WR20 // WR30
470mm (l) x 140mm (w) x 100mm (d) - WR30X // WR40X

Power Supply

220-230V 13 watts (via 13a switched fused spur) - WR20 // WR30
220-230V 14 watts (via 13a switched fused spur) - WR30X // WR40X

Set Up

Wall or ceiling mounting. Easy marking and fixing at four points.

Construction

Anodised aluminium, solid extrusion.

Weight

15 kg

Operation

Continuous, indicated by blue lamp. Requires annual lamp change.